



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 1 of 1.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Manager Imports

Please send us your best offer in the form of Performa Invoice on your letterhead based on C&F Karachi and at least provide the gross weight & dimensions along with complete address of Ex-works/ FOB destination, duly signed, for the under mentioned items. In case of local agents / representative original Invoice from the Principal must be enclosed. Quotation should be submitted along with our attached "BID FORM" completely filled in.

Incomplete and conditional offers will not be entertained. No advance payment will be made. All bank charges inside Pakistan will be on our account and all bank charges outside Pakistan will be on beneficiary's account. The bids are to be submitted in the sealed envelope clearly marked as Manager Imports and our reference No. mentioned above and courier/ e-mail to us. Please e-mail/ fax us your courier Slip No. The bids to be reached latest by the above mentioned date.

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00010	04-100-003	CHECK VALVE C.S : 2" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE SWING TYPE. TRIM F6 ACCORDING TO ANSI. ACCORDING TO ANSI B-16.5 N.R.V MTC REQUIRED ALONGWITH DELIVRY	NO	8			
00020	04-100-005	CHECK VALVE C.S: 3" X 150#: A-216 WCB/F6 FLANGED ENDS RAISE FACE SWING TYPE. TRIM F6 ACCORDING TO ANSI-B-16.5. N.R.V AS PER BS 1868 FACE TO FACE DIMENSIONS AS PE ASME B-16.10 MTC REQUIRED ALONGWITH DELIVERY	NO	8			
00030	04-100-006	CHECK VALVE C.S : 4" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE SWING TYPE. TRIM F6 ACCORDING TO ANSI-B-16.5. (N.R.V) NON RETURNABLE VALVE DESIGN AS PER BS 1868 NOTE: MTC REQRUED ALONGWITH DELIVERY	NO	12			
YOUR REF. NO. DATE: AUTHORIZED SIGNATURE							



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 2 of 1.

Tel :
Fax :
Vendor No. 200861

Our Ref No. 28409

No. 6100023873
Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00040	04-100-009	CHECK VALVE C.S : 6" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE SWING TYPE. TRIM F6 ACCORDING TO ANSI-B-16.5. (NRV) NON-RETURN VALVE DESIGN AS PER BS 1868 FACE TO FACE DIMENSION AS PER ASME B16.10 MTC REQUIRED ALONGWITH DELIVERY.	NO	6			
00050	04-100-013	CHECK VALVE : 10" X 150#, A-216/WCB. F6 TRIM. CAST STEEL, FLANGED END, RAISED FACE, SWING TYPE. N.R.V MTC REQUIRED	NO	1			
00060	04-100-015	CHECK VALVE : 12" X 150# RF : A-216 WCB. N.R.V SWING TYPE NCB F6 BB. DESIGN AS PER BS1868 MTC REQUIRED	NO	1			
00070	04-100-017	CHECK VALVE : 16" X 150#, A-216/WCB. F6 TRIM. CAST STEEL, FLANGED END. RAISED FACE, SWING TYPE. AS PER ANSI B-16.5 N.R.V MTC REQUIRED ALONGWITH DELIVERY	NO	1			
00080	04-106-005	CHECK VALVE C.S. SIZE 3" X 300# (NRV) MATERIAL : ASTM A216/WCB FLANGED END RAISE FACE SWING TYPE. TRIM F6 ACCORDING TO ANSI B-16.5 DESIGN AS PER BS 1868 FACE TO FACE DIMENSIONS AS PER ASME B 16.10 MTC REQUIRED ALONGWITH DELIVERY	NO	4			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 3 of 1.

Tel :
Fax :
Vendor No. 200861

Our Ref No. 28409

No. 6100023873
Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00090	04-106-011	CHECK VALVE (N.R.V) SWING SIZE 6" X 300 WCB, RF, BC 13% CR. STELLITE SEAT TRIM NO. 8 CLASS 300 FLANGES AS PER B16.5 FACE TO FACE DIMENSION AS PER B16.10 DESIGN STANDARD API-6D BS 1868 OR ASMEB 16.34 MTC REQUIRED	NO	1			
00100	04-114-003 NRV AS PER API-602 MTC REQUIRED	CHECK VALVE (SW) : 3/4" X 800#, A-105/II	NO	15			
00110	04-114-005	CHECK VALVE (S.W): 1" X 800 #, A-105/II MATERIAL : FORGED STEEL. F6 TRIM SWING TYPE SOCKET WELD, AS PER ANSI. NRV DESIGN AS PER API 602 MTC REQUIRED ALONGWITH DELIVERY	NO	15			
00120	04-114-007	VALVE CHECK FORGED STEEL S.W. SIZE 1-1/2" X 800 #, MATERIAL ASTM A-105/F6 TRIM, SWING TYPE. AS PER API-602 N.R.V MTC REQUIRED	NO	8			
00130	04-117-011	CHECK VALVE C.S : 4" X 600 #, A-216/WCB FLANGED ENDS RAISE FACE, SWING TYPE, TRIM F6 ACCORDING TO ANSI-B-16.5. MTC REQUIRED ALONGWITH DELIVERY	NO	2			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 4 of 1.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Tel :
Fax :
Vendor No. 200861

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00140	04-117-303 (F6) (NRV) MTC REQUIRED	CHECK VALVE (TH) : 1/2" X 800#, A-105/II	NO	15			
00150	04-154-006	GATE VALVE C.S. SIZE 1-1/2" X 150 # MATERIAL ASTM A-216/WCB F6 TRIM FLANGED END RF, AS PER ANSI B-16.5 DESIGN AS PER API 602 MTC REQUIRED	NO	10			
00160	04-154-007	GATE VALVE C.S : 2" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE, TRIM 13% CROME. AS PER ANSI-B-16.5. AS PER API 602 MTC REQUIRED ALONGWITH DELVIERY	NO	70			
00170	04-154-009	GATE VALVE C.S : 3" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE, TRIM 13% CROME. FLANGE: AS PER ANSI-B-16.5. FACE TO FACE DISTANCE AS PER ANSI B 16.10 DESIGN AS PER API 600 MTC REQUIRED	NO	40			
00180	04-154-011	GATE VALVE C.S : 4" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE, TRIM 13% CROME. FLANGE: AS PER ANSI-B-16.5. FACE TO FACE DISTANCE AS PER ANSI B 16.10 DESIGN AS PER API 600 BONNET & BODY MATERIAL ASTM A-216 WCB. MTC REQUIRED ALONGWITH DELIVERY	NO	37			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 5 of 1.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Tel :
Fax :
Vendor No. 200861

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00190	04-154-015	GATE VALVE C.S : 6" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE, TRIM 13% CHROME. FLANGE AS PER ANSI B- 16.5 FACE TO FACE DISTANCE AS PER ANSI B 16.10 DESIGN AS PER API 600 MTC REQUIRED	NO	20			
00200	04-154-016	GATE VALVE C.S : 8" X 150 #, A-216/WCB FLANGED ENDS RAISE FACED TRIM 13% CHROME FLANGED AS PER ANSI B-16.5 FACE TO FACE DISTANCE AS PER ANSI B-16.10 DESIGN AS PER API 600 MTC REQUIRED	NO	6			
00210	04-154-017	GATE VALVE C.S : 10" X 150 #, A-216/WCB FLANGED ENDS RAISE FACE, TRIM 13% CROME. AS PER ANSI-B-16.5. DESIGN AS PER API-600 FLANGE AS PER ASME B-16.5 FACE TO FACE DISTANCE AS PER ASME B-16.10 MTC REQUIRED	NO	4			
00220	04-154-018	GATE VALVE CAST STEEL SIZE 12" X 150 # MATERIAL ASTM A-216/WCB FLANGED ENDS RAISE FACE TRIM 13% CROME AS PER ANSI B-16.5 DESIGN AS PER API-600 MTC REQUIRED ALONGWITH DELIVERY	NO	4			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 6 of 1.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By: _____

Tel :
Fax :
Vendor No. 200861

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00230	04-156-003	GATE VALVE : 2" X 300 #, A-216/WCB. FLANGED ENDS RAISE FACE, TRIM 13% CROME, SOLID WEDGE AS PER ANSI-B-16.5 CONTRACTION AS PER API-600 MTC REQUIRED ALONGWITH DELIVERY	NO	2			
00240	04-156-005	GATE VALVE : 3" X 300 #, A-216/WCB. SOLID WEDGE, RAISED FACE FLANGED. ANSI-B-16.5 CONSTRUCTION AS PER API-600. MTC REQUIRED	NO	5			
00250	04-156-007	GATE VALVE SIZE : 4" X 300# : A-216 WCB. 13% CR. TRIM, SOLID WEDGE R.F. ANSI B016.5, FLANGED END (F6). CONSTRUCTION AS PER API-600 NOTE: MTC REQUIRE ALONG WITH DELIVLERY	NO	2			
00260	04-156-012	GATE VALVE SIZE : 8" X 300# / A-216 WCB MATERIAL ; - 13% CR. TRIM SOLID WEDGE RAISED FACE. FLANGED ANSI B-16.5, CONSTRUCTION AS PER API-600 MTC REQUIRED ALONGWITH DELIVERY	NO	2			
00270	04-156-014	GATE VALVE : 12" X 300 #, A-216/WCB. FLANGED ENDS RAISE FACE, TRIM 13% CROME, SOLID WEDGE AS PER ANSI-B-16.5 CONTRACTION AS PER API-600	NO	1			
00280	04-179-004	GATE VALVE (S.W): 1/2" X 800#, A-105/F6 (OS & Y BB SOLID WEDGE) MATERIAL : FORGED STEEL API-602 RISING STEM. MTC REQUIRED	NO	100			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 7 of 1.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By: _____

Tel :
Fax :
Vendor No. 200861

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00290	04-179-005	GATE VALVE (S.W): 3/4" X 800#, A-105/F6 (OS & Y BB SOLID WEDGE) MATERIAL : FORGED STEEL API-602 RISING STEM. MTC REQUIRED	NO	150			
00300	04-179-006	GATE VALVE (SW) : 1" X 800 # OS & Y, BB SOLID WEDGE, MATERIAL ASTM A-105/F6 FORGED STEEL, API-602 RISING STEM. END CONNECTION AS PER ASME B 16.11. END TO END DIMENSIONS AS PER ASME B 16.10 MTC REQUIRED ALONGWITH DELIVERY	NO	100			
00310	04-179-007	GATE VALVE (S.W): 1½" X 800#, A-105/F6 (OS & Y BB SOLID WEDGE) MATERIAL : FORGED STEEL API-602 RISING STEM. MTC REQUIRED	NO	30			
00320	04-179-008	GATE VALVE S.W. SIZE 2" X 800 # (OS & Y BB, SOLID WEDGE) MATERIAL ASTM A-105/F6, FORGED STEEL, API-602 RISING STEM. MTC REQUIRED ALONGWITH DELIVERY	NO	25			
00330	04-181-002	GATE VALVE THREADED SIZE 1/2" X 800 # MATERIAL ASTM A-105 FORGED STEEL TRIM 13% CHROME FEMALE END SCREWED FOR GENERAL PURPOSE. AS PER DESIGN API 602 END CONNECTION AS PER ASME B-16.11 MTC REQUIRED	NO	50			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 8 of 1.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Tel :
Fax :
Vendor No. 200861

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00340	04-181-004	GATE VALVE THREADED SIZE 3/4" X 800 # MATERIAL ASTM A-105 FORGED STEEL TRIM 13% CHROME FEMALE END SCREWED FOR GENERAL PURPOSE. AS PER API-602 MTC REQUIRED ALONGWITH DELIVERY	NO	300			
00350	04-182-009	GATE VALVE C.S. SIZE 2" X600# A-216 WCB, FLANGED END RAISED FACE, TRIM 13% CROME. AS PER ANSI B-16.5 MTC REQUIRED	NO	6			
00360	04-182-010	Gate Valve. MAT A-216-WCB Size 3" X 600# GATE VALVE FLANGE MATERIAL-ASTM-A-216/WCB SIZE 3" X 600 # AS PER API-602 MTC REQUIRED	NO	1			
00370	04-182-011	GATE VALVE C.S. SIZE 4" X 600 # MATERIAL ASTM A-216/WCB FLANGED END RAISE FACE , TRIM 13% CROME AS PER ANSI B-16.5 DESIGN AS PER API 600 FACE TO FACE AS PER ASME B 16.10 STANDARD API-600 MTC REQUIRED	NO	6			
00380	04-352-009	GLOBE VALVE FLANGE: 2" X 150 # A-216/WCB F6 TRIM, FLANGED END RF AS PER ANIS B-16.5 AS PER API 602 MTC REQUIURED	NO	8			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 9 of 1.

Tel :
Fax :
Vendor No. 200861

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : _____

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00390	04-352-011	GLOBE VALVE SIZE 3" X 150 # . MATERIAL ASTM A-216/WCB, TRIM FLANGED END RF FLANGE: AS PER ANSI-B-16.5. FACE TO FACE DISTANCE AS PER ANSI B 16.10 DESIGN AS PER API 600 BONNET & BODY MATERIAL ASTM A-216 WCB. TRIM 13% CHROME. MTC REQUIRED	NO	2			
00400	04-358-009	GLOBE VALVE FLANGE: 2" X 300 # A-216/WCB TRIM F6 DESIGN AS PER BS 1873 FACE TO FACE DIMENSIOMS AS PER ASME B16.10 FLANGES AS PER ASME B16.5 OS & Y, BOLTED BONNET MTC REQUIRED	NO	3			
00410	04-360-003	GLOBE VALVE (S.W): 1/2" X 800#, A-105/F6 MATERIAL : FORGED STEEL, ASTM-A-105/F6 TRIM. AS PER API-602 MTC REQUIRED	NO	6			
00420	04-360-007	GLOBE VALVE (SW): 1" X 800 #, MATERIAL : ASTM-A-105/F6 TRIM, FORGED STEEL . AS PER API-602 MTC REQUIRED ALONGWITH DELIVERY	NO	8			



NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)
P.O.Box No. 8228
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836
smgr_procurement@nrlpak.com

Request For Quotation

Page 10 of 10.

Our Ref No. 28409

No. 6100023873

Dated 27.03.2025

Due Date: 15.04.2025

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By: _____

Tel :
Fax :
Vendor No. 200861

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00430	04-360-009	GLOBE VALVE (SW) : 1½" X 800 #, A-105/F6 MATERIAL : ASTM-A-105/F6 TRIM, FORGED STEEL. AS PER API-602 MTC REQUIRED	NO	2			
00440	04-372-007	Globe Valve. A-216-WCB Size 1½" X 600# GLOBE VALVE FLANGE. MATERIAL ASTM A - 216 / WCB. SIZE 1½" X 600 #.	NO	4			
00450	04-372-009	Globe Valve. A-216-WCB Size 2" X 600#. GLOBE VALVE FLANGE. MATERIAL ASTM A - 216 / WCB. SIZE 2" X 600 #. FLANGE: AS PER ANSI-B-16.5. FACE TO FACE DISTANCE AS PER ASME B 16.10 AS PER BS 1873 MTC REQUIRED	NO	2			
00460	04-372-011	GLOBE VALVE A-216-WCB SIZE 4" X 600#. FLANGED RF ANSI B-16.5, OS&Y BOLTED BONNET BODY ASTM A-216/WCB TRIM 13% CR. AS PER BS 1873 MTC REQUIRED	NO	2			
00470	04-372-013	GLOBE VALVE SIZE 6" X 600 # MATERIAL ASTM A-216/WCB F6, TRIM FLANGED END RF. AS PER ANSI B-16.5	NO	2			