

Molecular Sieves for 371 V-62/63

Quantity	kg	3000	
Particle size	mm	φ 3.0 - 5.0	
Bulk Density	g/ml	≥ 0.66	
Static Water adsorption	wt %	≥ 21.5	
Moisture contents	wt %	≤ 1.5	
Crush Strength	N/P	≥ 70	
Particle distribution	wt %	> 0.5 mm	≤ 3 mm
		≤ 5.0	≤ 2.0
Attrition	wt %	≤ 0.1	

NOR R,
 ORIGIN
 NNT/A
 QUIPP
 RIGIN
 RIGIN
 TOCK
 ROPN
 OST
 UGGE
 ; No
 0010
 0020
 0030
 EP
 TI



NOR RA
ORIGIN
UNIT/AI
EQUIP
ORIGIN
ORIGIN
STOCK
PROP/N
COST C
SU@GE

S. No.
00010
00020
00030

PREI
DAT

Alumina for 371 V-62/63

Alumina (Al ₂ O ₃)	%	≥ 95
Quantity	kg	550
Particle size	mm	φ 3.0 - 5.0
Weightlessness	%	≤ 7.0
Bulk Density	g/ml	≤ 0.70
Static Water adsorption	wt %	≥ 21
Specific Surface	m ² / g	≥ 305
Crushing Strength	N/P	≥ 205
Pore Volume	ml / g	≥ 0.5
Attrition	wt %	≤ 0.2

Alumina for 371 V-62/63		
Alumina (Al ₂ O ₃)	%	≥ 95
Quantity	kg	550
Particle size	mm	φ 3.0 - 5.0
Weightlessness	%	≤ 7.0
Bulk Density	g/ml	≤ 0.70
Static Water adsorption	wt %	≥ 21
Specific Surface	m ² / g	≥ 305
Crushing Strength	N/P	≥ 205
Pore Volume	ml / g	≥ 0.5
Attrition	wt %	≤ 0.2

WARRANTY
 PM (non-stock/serv)

W / H CONTROL NO.

WHE-4029
 10020162