



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 1 of 7.

Our Ref No. WHF-3952

No. 6100022001  
Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

### Manager Imports

Please send us your best offer in the form of Performa Invoice on your letterhead based on C&F Karachi and at least provide the gross weight & dimensions along with complete address of Ex-works/ FOB destination, duly signed, for the under mentioned items. In case of local agents / representative original Invoice from the Principal must be enclosed. Quotation should be submitted along with our attached "BID FORM" completely filled in.

Incomplete and conditional offers will not be entertained. No advance payment will be made. All bank charges inside Pakistan will be on our account and all bank charges outside Pakistan will be on beneficiary's account. The bids are to be submitted in the sealed envelope clearly marked as Manager Imports and our reference No. mentioned above and courier/ e-mail to us. Please e-mail/ fax us your courier Slip No. The bids to be reached latest by the above mentioned date.

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00010	04-154-005K1	GATE VALVE C.S : 1" X 150 #, A-216/WCB  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	20			
00020	04-154-007K1	GATE VALVE C.S : 2" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	50			

YOUR REF. NO.

DATE:

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 2 of 7.

Tel :  
Fax :  
Vendor No. 200861

Our Ref No. WHF-3952

No. 6100022001  
Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00030	04-154-009K1	GATE VALVE C.S : 3" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	30			
00040	04-154-011K1	GATE VALVE C.S : 4" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	25			
00050	04-154-015K1	GATE VALVE C.S : 6" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	25			



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 3 of 7.

Tel :  
Fax :  
Vendor No. 200861

Our Ref No. WHF-3952

No. 6100022001

Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00060	04-154-016K1	GATE VALVE C.S : 8" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	10			
00070	04-154-017K1	GATE VALVE C.S : 10" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB,	NO	5			
00080	04-154-018K1	GATE VALVE C.S : 12" X 150#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB,	NO	4			
00090	04-156-002K1	GATE VALVE SIZE : 1½" X 300# / A-216 WCB  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	2			



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 4 of 7.

Tel :  
Fax :  
Vendor No. 200861

Our Ref No. WHF-3952

No. 6100022001

Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00100	04-156-003K1	GATE VALVE C.S : 2" X 300#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	25			
00110	04-156-005K1	GATE VALVE C.S : 3" X 300#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	15			
00120	04-156-007K1	GATE VALVE C.S : 4" X 300#, A-216/WCB.  FLANGED ENDS, RAISE FACE. BODY MATERIAL : ASTM-A-216/WCB, TRIM 13% CROME FACE TO FACE DISTANCE AS PER ANSI-B-16.10 FLANGE AS PER ANSI B-16.5  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	10			



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 5 of 7.

Tel :  
Fax :  
Vendor No. 200861

Our Ref No. WHF-3952

No. 6100022001

Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00130	04-179-004K1	GATE VALVE (S.W) : 1/2" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-16.11  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	150			
00140	04-179-005K1	GATE VALVE (S.W) : 3/4" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-16.11  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	250			
00150	04-179-006K1	GATE VALVE (S.W) : 1" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-16.11  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	125			



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 6 of 7.

Tel :  
Fax :  
Vendor No. 200861

Our Ref No. WHF-3952

No. 6100022001

Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00160	04-179-007K1	GATE VALVE (S.W) : 1½" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-16.11  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	55			
00170	04-179-008K1	GATE VALVE (S.W) : 2" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-16.11  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	10			
00180	04-181-002K1	GATE VALVE (TH) : 1/2" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-1.20.1  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	75			



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
Telephone: 35064981-3 PABX Fax: 92-21-35054663 Direct: 35121836  
smgr\_procurement@nrlpak.com

## Request For Quotation

Page 7 of 7.

Tel :  
Fax :  
Vendor No. 200861

Our Ref No. WHF-3952

No. 6100022001

Dated 03.04.2024

Due Date: 23.04.2024

Shipment to Karachi Via: Air / Sea

Shipment to Karachi By : \_\_\_\_\_

Item	Material	Description	Unit	Quantity	Unit Price	Freight/ Packing Charges	Total C&F Value (Currency)
00190	04-181-004K1	GATE VALVE (TH) : 3/4" X 800#, A-105.  BODY MATERIAL : ASTM-A-105 TRIM 13% CROME END CONNECTION AS PER ANSI-B-1.20.1  VALVE SHOULD ALSO BE IN ACCORDANCE WITH API 6D /API 600 & MUST BE INSPECTED BY API 598 MTC TO BE PROVIDE ALONG WITH MATERIAL	NO	200			