

NRL-FAF-LRU-001 Rev.:# 00

Dt.:28-07-2003

## **Request For Quotation**

Tel: Fax:

Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO.

Our Ref No. 46349

Dated

No.  $\frac{6000149691}{04.12.2023}$  Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

cast tin for huborissim 1:30 pm

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:

free delivery at our Ware House

Requirement: Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises \* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00010	34-006-005	BIMETALLIC THERMOMETER RANGE: 0 - 120°C TEMPERATURE RANGE: 0 - 120°C UNIT : °C / °F SENSOR TYPE : BI-METALLIC ACCURACY : CLASS 1.0 SENSOR MATERIAL : 316 SS CASING MATERIAL : 304 SS STEM LENGTH : 300 mm STEM DIAMETER : 6 mm PROCESS CONNECTION : 1/2 inch NPT (MALE), ADJUSTABLE CONNECTION ORIENTATION : CONCENTRIC BACK DIAL : ALUMINUM WHITE BACKGROUND, WITH BLACK MARKING DIAL SIZE : 4 inch DIA SCALE GRADUATION : MINIMUM DIVISION : VENDOR TO SPECIFY POINTER : BALANCED ALUMINUM WINDOW - : SAFTEY GLASS PROTECTION : IP 55 ZERO ERROR REMOVAL : EXTERNAL SCREW	NO	2			

YOUR REF. NO.

DATE:

PAGE 1 OF 8



NRL-FAF-LRU-001 Rev.:# 00

Dt.:28-07-2003

# **Request For Quotation**

Tel: Fax:

Vendor No. 102518

Our Ref No.46349

No. Dated

No. 6000149691
Dated 04.12.2023
Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Free delivery at our Ware House Requirement: Within 7 days of our Purchase Order

PLEASE DROP YOUR QUOTATION IN BOX NO.

\* Collect Ex-Your Shop/Premises

\* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
0020	34-006-128	PRESSURE GAUGE: 0 - 6000 KPA: RANGE: 0 - 6000 kPa SECOND SCALE: Bar DIAL: 4 INCH, WHITE ALUMINIUM WITH BLACK MARKING CASE & BAYONET RING MATERIAL: ANSI 304 SS POINTER TYPE: MICRO ADJUSTABLE GLASS: LAMINATED SAFTEY GLASS SENSING ELEMENT: BOURDON TUBE SENSING ELEMENT MATERIAL: ANSI 316L SS PROCESS CONNECTION SIZE: 1/2 INCH NPT MALE PROCESS CONNECTION TYPE: DIRECT MOUNT, BOTTOM CONNECTION PROCESS CONNECTION MATERIAL: ANSI 316 SS FILLING: REQUIRED INGRESS PROTECTION: IP 55 ACCUARACY: 0.5% OVER RANCE: 1.3 TIMES OF FULL SCALE FOR SHEET DURATION TEMPERATURE: AT LEAST 150 C	NO	4			

YOUR REF. NO.

DATE:

PAGE 2 OF 8



NRL-FAF-LRU-001

Rev.:# 00 Dt.:28-07-2003

## **Request For Quotation**

Tel:

Fax:

Vendor No. 102518

Our Ref No. 46349

Dated

No.  $\frac{6000149691}{04.12.2023}$  Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery: \* Free delivery at our Ware House
Requirement: \* Within 7 days of our Purchase Order

PLEASE DROP YOUR QUOTATION IN BOX NO.

\* Collect Ex-Your Shop/Premises

\* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00030	34-006-133	PRESSURE GAUGE: 0-16 BAR Range : 0 - 16 BAR Dial Size : 4 Inch Case & Bayonet Ring Material: ANSI 304 SS Pointer Type: Micro adjustable Glass : Laminated Safety Glass Sensing Element: Bourdon Tube Sensing Element Material: ANSI 316L SS Process Connection Size : 1/2 Inch NPT Male Process Connection Type : Direct Mount, Bottom Connection Process Connection Material : ANSI 316 SS Filling : Required Ingress Protection : IP 65 Accuracy: 1.00% Over Range: 130 % of Full Scale TEMPERATURE RANGE: AT LEAST 150°C SECOND SCALE: PSI	NO	30	6		

YOUR REF. NO.

DATE:

PAGE 3 OF 8



NRL-FAF-LRU-001

Rev.:# 00 Dt.:28-07-2003

### **Request For Quotation**

Tel: Fax:

Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO.

Our Ref No.46349

No.

No. 6000149691
Dated 04.12.2023
Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

\* Free delivery at our Ware House

Requirement: Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises \* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00040	34-006-515	COMPOUND GAUGE, -30 INCHES/ Hg TO 10 BAR RANGE : -30 INCHES OF HG TO 10 BAR DIAL SIZE: 4 INCH SECOND SCLAE: PSI DIAL TYPE: WHITE BACKGROUND WITH BLACK MARKING AND FIGURES POINTER : MICRO-ADJUSTABLE POINTER CASE & BAYONET RING MATERIAL: ANSI 304 SS SENSING ELEMENT: BOURDON TUBE SENSING ELEMENT MATERIAL: ANSI 316L SS PROCESS CONNECTION SIZE: 1/2 INCH NPT MALE PROCESS CONNECTION TYPE: DIRECT MOUNT, BOTTOM CONNECTION PROCESS CONNECTION MATERIAL: ANSI 316 SS INGRESS PROTECTION: IP 55 GLYCERIN FILLING: NO PROCESS TEMPERATURE: AT LEAST 150C WITHOUT ANY ACCESSORY ACCURACY: 1% F.S OVER RANGE: 130% OF F.S NOTE:	NO	8			
00050	34-010-027	1.PRESSURE GAUGE SHOULD HAVE BLOW-OUT VENT 2.COMPLETE PRODUCT LITERATURE SHOULD BE PROVIDED WITH THE OFFER 3.ANY SPECIFICATION DEVIATING FROM ABOVE SHOULD BE CLEARLY MENTIONED. 4.MATERIAL SHOULD BE ACCORDING TO MARKET PREVAILING STANDARD GAUGE GLASS KLINGER REFLECTION VII-B. SEAT 34 X 17 EACH WITH TWO GASKET.SIZE:280 X 34 X 17 mm. PART NO. 587140.	NO	8			

YOUR REF. NO.

DATE:

PAGE 4 OF 8



NRL-FAF-LRU-001

Rev.:# 00 Dt.:28-07-2003

### Request For Quotation

Our Ref No. 46349

No.  $\frac{6000149691}{04.12.2023}$  Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

Tel: Fax:

Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO.

MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Free delivery at our Ware House

Requirement: Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises

Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00060	34-318-069 34-318-312	SUPPLY GAUGE RANGE 0-30 psi SPARE FOR LEVEL CONTROLLER RANGE: 0 TO 30 PSIG SENSING ELEMENT: BOURDEN TUBE CONNECTION TYPE: 1/8" NPT (MALE) BACK CONNECTION DIAL SIZE: 1½ INCH DIAMETER CASE MATERIAL: AISI 304 SS STOCKET AND: BRASS SENSING ELEMENT MATERIAL FILLING: DRY OVERPRESSURE LIMIT: 30% OF FULL SCALE ACCURACY: 1.6 OF FULL SCALE INSTRUMENT GAUGE: RANGE 0-60 PSIG RANGE: 0 - 60 PSIG CONNECTION TYPE: 1/8" INCH NPT BACK CONNECTION CASE MATERIAL: AISI 304 SS WETTED PARTS: BRASS FILLING: "DRY ACCURACY: 1.6% OF FULL SCALE	NO	12			
			v				

YOUR REF. NO.

DATE:

PAGE 5 OF 8



NRL-FAF-LRU-001 Rev.:# 00 Dt.:28-07-2003

### **Request For Quotation**

Our Ref No.46349

No. Dated

No. 6000149691
Dated 04.12.2023
Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

Tel: Fax:

Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO.

LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery: Requirement: Tree delivery at our Ware House

\*Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises \* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00080	54-016-001	DIFF. PRESSURE TRANSMITTER: 0-100" H2O Calibration Range: 0-200 Inches of Water Column Calibrated Range: 0-100 Inches of Water Column Sensing Element: Isolating Diaphragm Vetted Part Material: 316 S.S Accuracy: ±0.2 % Of FSD Zero Adjustment and span: Externally / locally Local Indicator: LCD with Configuration Button Process Connection: ½'' NPT-F Electrical Connection: ½'' NPT-F Supply: 24 VDC Output: 4-20 Ma (Two Wire System, HART Compatible) Linear / Square Root: Option MAXIUM PROCESS PRESSURE: 100 BAR HART COMPATIBLE: YES Ingress Protection Level: IP-65 ELECTRICAL SAFETY: FM EXPLOSION PROOF CLASS 1, DIVL GROUP B.C & D Hazardous Area Classification: Class 1, Division 1 Group-D Mounting Assembly: Complete Mounting	NO	2			
	s s	Kit for Installation on 2-Inch Pipe MODEL CODE: EJA110E-JMH5G- 71DDN/SU21/D3/C1/M01/T12/HC  NOTE: 1. BID SHALL BE OPENED ON DUE DATE AS MENTIONED ABOVE AT LEAST THIRTY MINUTES AFTER DEADLINE FOR SUBMISSION OF BID. 2. BIDS SHALL BE OPENED PUBLICLY IN THE PRESENCE OF THE BIDDERS OR THEIR REPRESENTATIVE WHO MAY CHOOSE TO ATTEND.					

YOUR REF. NO.

DATE:

PAGE 6 OF 8



NRL-FAF-LRU-001

Rev.:# 00 Dt.:28-07-2003

## **Request For Quotation**

Tel: Fax:

Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO.

Our Ref No. 46349

No. 6000149691
Dated 04.12.2023
Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 14.12.2023

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery: Free delivery at our Ware House
Requirement: Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises / Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
		3. PLEASE QUOTE PRICES ACCORDING TO OUR SPECIFICATION PREFERABLY ON OUR REQUEST FOR QUOTATION, HOWEVER OFFER ON THE SUPPLIER'S OWN FORMATE/LETTER HEAD WILL ALSO BE ACCEPTABLE.  4. CUTTING/ALTERATION IN THE RFQ MUST BE AVOIDED AS FAR AS POSSIBLE.HOWEVER IN CASE CUTTING/ALTERATION IS INEVITABLE, THE SAME MAYBE CARRIED OUT WITH PROPER SIGNATURE/STAMP OF THE SUPPLIER.  5. IF YOU DO NOT MENTION G.S.T IN YOUR QUOTATION, IT WILL BE ASSUMED TO BE INCLUSIVE.  6. PLEASE MENTION YOUR NTN & GST NO.AS WELL AS OUR GST AND NTN NO.ON ALL OF YOUR SALES TAX INVOICE AS PER GOVT INSTRUCTION.  7. ENTRY OF CNG / LPG FITTED VEHICLES ARE NOT ALLOWED INSIDE NRL PREMISES DUE TO SAFETY REQUIREMENT.THE SUPPLIERS ARE THEREFORE ADVISED TO DELIVER THE ORDERED MATERIALS THROUGH NON CNG/LPG FITTED VEHICLE  8.THE VEHICLES DELIVERING GOODS MUST HAVE VALID FITNESS CERTIFICATE (IF APPLICABLE) VALID/ORIGINAL DRIVING LICENCE OF THE DRIVER & VALID/ORIGINAL CNIC OF OTHER STAFF OF THE SUPPLIER.NRL SAFETY & SECURITY PROCEDURES MUST BE STRICTLY FOLLOWED BY DRIVERS & ALL OTHER STAFF OF THE SUPPLIER  9. QUOTATION ARE TO BE SUBMITTED PREFERABLY IS SEALED ENVELOP PROVIDED BY NRL ALONG WITH THIS RFQ HOWEVER IF SUPPLIERS ARE SUBMITTING OFFER IN THEIR OWN ENVELOPE, REFERENCE NO WITH DESCRIPTION OF MATERIAL AS MENTIONED IN OUR RFQ MUST BE MENTIONED ON THE ENVELOPE.  10. QUOTATION RECEIVED ON FAX & E-MAIL WILL NOT BE CONSIDERED.					

YOUR REF. NO.

DATE:

PAGE 7 OF 8



NRL-FAF-LRU-001

Rev.:# 00 Dt.:28-07-2003

## **Request For Quotation**

Tel:

Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO.

No. 6000149691
Dated 04.12.2023
Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is Due Date: 14.12.2023

Our Ref No. 46349

No.

MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:

Fax:

Free delivery at our Ware House Requirement: Within 7 days of our Purchase Order \* Collect Ex-Your Shop/Premises

Immediate

tem	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
		11. QUOTATIONS MUST BE SIGNED BY AN AUTHORIZED REPRESENTATIVE AND MUST BE STAMPED WITH COMPANY STAMP.  12. THE VEHICLES DELIVERING GOODS SHOULD BE EQUIPED WITH FIRE EXTINGUISHER.  13. THE VEHICLES DELIVERING GOODS SHOULD HAVE SPARK ARRESTOR AT THE SILENCER.  14. ORDER FOR PARTIAL QUANTITY MAY ALSO BE PLACED BASED ON LOWEST QUOTED RATES OF EACH ITEM BY DIFFERENT SUPPLIER.					

YOUR REF. NO.

DATE:

PAGE 8 OF 8