



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.: # 00  
Dt.: 28-07-2003

## Request For Quotation

Tel :  
Fax :  
Vendor No. 102518

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

*Last time for submission 1:30 pm*

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

*[Signature]*  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery: \* Free delivery at our Ware House  
Requirement: \* Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises  
\* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00010	32-183-002K1	<p>POLY URETHANE PIPE DIA : 2" X 50MM THK (COLD INSULATION) DIA-2" X 2' X 2" THK. EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES. SPECIFICATION FOR COLD INSULATION (FOR ALL ITEMS):-</p> <p>EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES</p> <p>A) MATERIAL:- * URETHANE/FOAMED POLY URETHANE (IN COMPLIANCE WITH ASTM-C-591) * ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH LPPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. * INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.</p> <p>B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE UPTO 200°F(MINIMUM). * WITHOUT ALUMINIUM FOIL/WITH OUT VAPOUR BARRIER LAMINATION.</p>	RFT	400			

YOUR REF. NO.  
DATE:

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.:# 00  
Dt.:28-07-2003

## Request For Quotation

Tel :  
Fax :  
Vendor No. 102518

Our Ref No. WHL-8331

No. 6000155760  
Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

Y  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  
Requirement:  Within 7 days of our Purchase Order

\*  Collect Ex-Your Shop/Premises  
\*  Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00020	32-183-003K1	<p>POLY URETHANE FOR PIPE DIA : 3" X 2" THK (COLD INSULATION) DIA 3" X 2' X 2" THK. EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES</p> <p>SPECIFICATION FOR COLD INSULATION:- A) MATERIAL:- * URETHANE/FOAMED POLY URETHANE (IN COMPLIANCE WITH ASTM-C-591) * ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH LPPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. * INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.</p> <p>B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE UPTO 200°F (MINIMUM).</p>	RFT	400			

YOUR REF. NO.  
DATE:

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.: # 00  
Dt.: 28-07-2003

## Request For Quotation

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

Tel :  
Fax :  
Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

[Signature]  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  
Requirement:  Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises  
\* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00030	32-183-001K1	POLY URETHANE FOR PIPE DIA : 1" X 2" THK (COLD INSULATION) . SPECIFICATION FOR COLD INSULATION:- A) MATERIAL:- *URETHANE/FOAMED POLY URETHANE (IN COMPLIANCE WITH ASTM-C-591) *ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH LPPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. *INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.  B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE UPTO 200°F (MINIMUM). * WITHOUT ALUMINIUM FOIL/WITH OUT VAPOUR BARRIER LAMINATION.	RFT	200			
00040	32-183-004K1	POLY URETHANE FOR PIPE DIA : 4" X 2" THK (COLD INSULATION) DIA 4" X 2' X 2" THK. EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES. SPECI	RFT	400			

YOUR REF. NO.

DATE:

PAGE 3 OF 9

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.: # 00  
Dt.: 28-07-2003

## Request For Quotation

Tel :  
Fax :  
Vendor No. 102518

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  
Requirement:  Within 7 days of our Purchase Order

Collect Ex-Your Shop/Premises  
 Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00050	32-183-006K1	<p>POLY URETHANE FOR PIPE DIA: 1½" X 2" TH. (COLD INSULATION). SPECIFICATION FOR COLD INSULATION:- A) MATERIAL:- *URETHANE/FOAMED POLY URETHANE(IN COMPLIANCE WITH ASTM-C-591) * ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH LPPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. * INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.</p> <p>B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE UPTO 200°F(MINIMUM).</p>	RFT	100			

YOUR REF. NO.  
DATE:

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.: # 00  
Dt.: 28-07-2003

## Request For Quotation

Tel :  
Fax :  
Vendor No. 102518

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

Y  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  
Requirement:  Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises

\* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00060	32-183-007K1	POLY URETHANE FOR PIPE DIA: 1/2" X 2" THK (COLD INSULATION). SPECIFICATION FOR COLD INSULATION:-  A) MATERIAL:- * URETHANE/FOAMED POLY URETHANE (IN COMPLIANCE WITH ASTM-C-591) * ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH LPPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. * INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.  B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY. NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE UPTO 200°F (MINIMUM). * WITHOUT ALUMINIUM FOIL/WITH OUT VAPOUR BARRIER LAMINATION.	RFT	100			
00070	32-183-012K1	POLY URETHANE PIPE DIA :12" X 65 MM.TH. (FOR COLD INSULATION ). * EACH PIPE SHOULD BE OF TWO(02) FEET LENGTH & LONGITUDINALLY CUT INTO TWO EQUAL HALVES SPECIFICATIO	RFT	300			

YOUR REF. NO.

DATE:

PAGE 5 OF 9

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.: # 00  
Dt.: 28-07-2003

## Request For Quotation

Tel :  
Fax :  
Vendor No. 102518

Our RefNo. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

Y  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  
Requirement:  Within 7 days of our Purchase Order

\*  Collect Ex-Your Shop/Premises  
\*  Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00080	32-183-015K1	POLY URETHANE FOR PIPE DIA: 8"X 65mm THK (COLD INSULATION) DIA 8" X 2' X 65mm THK. EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES.  SPECIFICATION FOR COLD INSULATION:- A) MATERIAL:- * POLY URETHANE(IN COMPLIANCE WITH ASTM-C-591)GRADE-1 * ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH 1PPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. * INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.  B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE(-50 TO 150°C). * WITHOUT ALUMINIUM FOIL/WITH OUT VAPOUR BARRIER LAMINATION.	RFT	1,200			
00090	32-181-002K1	POLY URETHANE BLOCK : 3' X 2' X 2" THK. (COLD INSULATION). SPECIFICATION FOR COLD INSULATION:- A) MATERIAL:- * URETHANE/FOAMED POLY URETHANE(IN COMPLIANCE WITH AS	SHT	600			

YOUR REF. NO.

DATE:

PAGE 6 OF 9

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.:# 00  
Dt.:28-07-2003

## Request For Quotation

Tel :  
Fax :  
Vendor No. 102518

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

W U  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention whether prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  \* Collect Ex-Your Shop/Premises  
Requirement:  \* Within 7 days of our Purchase Order  \* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
00100	32-183-005K1	POLY URETHANE FOR PIPE DIA : 6" X 2" THK (COLD INSULATION) DIA-6" X 2' X 2" THK. EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES SPECIFICATION FOR COLD INSULATION:-  A) MATERIAL:- * URETHANE/FOAMED POLY URETHANE(IN COMPLIANCE WITH ASTM-C-591) * ALL INSULATION MATERIAL SHALL CONTAIN A MINIMUM OF 20PPM SODIUM SILICATE FOR EACH LPPM OF LEACHABLE CHLORIDE CONTAINED IN INSULATION MATERIALS. * INSULATION MATERIAL SHOULD NOT CONTAIN MORE THAN 800PPM OF CHLORIDE.  B) PROPERTIES * INSULATION MATERIAL TO BE SELF EXTINGUISHING. * THERMAL CONDUCTIVITY NOT GREATER THAN 0.20BTU/sq.ft.Hr. AT 32°F. * WATER ABSORPTION NOT GREATER THAN 5% BY VOLUME. * WATER VAPOR PERMEABILITY NOT GREATER THAN 2 PERM/INCH. * MUST BE ABLE TO WITH STAND TEMPERATURE UPTO 200°F(MINIMUM) .	RFT	200			
00110	32-183-010K1	POLY URETHANE FOR PIPE DIA: 10" X 2" THK (COLD INSULATION) DIA 10" X 2' X 2" THK. EACH PIECE SHOULD BE OF TWO(2) FT LENGTH, LONGITUDINALLY CUT INTO TWO EQUAL HALVES  NOTE : 1. BID SHALL BE OPENED ON DUE DATE AS MENTIONED ABOVE AT LEAST THIRTY MINUTES AFTER DEADLINE FOR SUBMISSION OF BID.	RFT	100			

YOUR REF. NO.  
DATE:

AUTHORIZED SIGNATURE



# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001  
Rev.: # 00  
Dt.: 28-07-2003

## Request For Quotation

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

Tel :  
Fax :  
Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery: \*  Free delivery at our Ware House \*  Collect Ex-Your Shop/Premises  
Requirement: \*  Within 7 days of our Purchase Order \*  Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
		<p>2. BIDS SHALL BE OPENED PUBLICLY IN THE PRESENCE OF THE BIDDERS OR THEIR REPRESENTATIVE WHO MAY CHOOSE TO ATTEND.</p> <p>3. PLEASE QUOTE PRICES ACCORDING TO OUR SPECIFICATION PREFERABLY ON OUR REQUEST FOR QUOTATION, HOWEVER OFFER ON THE SUPPLIER'S OWN FORMATE/LETTER HEAD WILL ALSO BE ACCEPTABLE.</p> <p>4. CUTTING/ALTERATION IN THE RFQ MUST BE AVOIDED AS FAR AS POSSIBLE. HOWEVER IN CASE CUTTING/ALTERATION IS INEVITABLE, THE SAME MAYBE CARRIED OUT WITH PROPER SIGNATURE/STAMP OF THE SUPPLIER.</p> <p>5. IF YOU DO NOT MENTION G.S.T IN YOUR QUOTATION, IT WILL BE ASSUMED TO BE INCLUSIVE.</p> <p>6. PLEASE MENTION YOUR NTN &amp; GST NO. AS WELL AS OUR GST AND NTN NO. ON ALL OF YOUR SALES TAX INVOICE AS PER GOVT INSTRUCTION.</p> <p>7. ENTRY OF CNG / LPG FITTED VEHICLES ARE NOT ALLOWED INSIDE NRL PREMISES DUE TO SAFETY REQUIREMENT. THE SUPPLIERS ARE THEREFORE ADVISED TO DELIVER THE ORDERED MATERIALS THROUGH NON CNG/LPG FITTED VEHICLE</p> <p>8. THE VEHICLES DELIVERING GOODS MUST HAVE VALID FITNESS CERTIFICATE (IF APPLICABLE) VALID/ORIGINAL DRIVING LICENCE OF THE DRIVER &amp; VALID/ORIGINAL CNIC OF OTHER STAFF OF THE SUPPLIER. NRL SAFETY &amp; SECURITY PROCEDURES MUST BE STRICTLY FOLLOWED BY DRIVERS &amp; ALL OTHER STAFF OF THE SUPPLIER</p> <p>9. QUOTATION ARE TO BE SUBMITTED PREFERABLY IS SEALED ENVELOP PROVIDED BY NRL ALONG WITH THIS RFQ HOWEVER IF SUPPLIERS ARE SUBMITTING OFFER IN THEIR OWN ENVELOPE, REFERENCE NO WITH DESCRIPTION OF MATERIAL AS MENTIONED IN</p>					

YOUR REF. NO.

DATE:

PAGE 8 OF 9

AUTHORIZED SIGNATURE





# NATIONAL REFINERY LIMITED

7-B, Korangi Industrial Zone, Korangi, Karachi-74900, (Pakistan)  
P.O.Box No. 8228  
PABX: 5064981-86 Dir. 5060842 Fax No. (92-21) 5054679 & 5054663

NRL-FAF-LRU-001

Rev.: # 00

Dt.: 28-07-2003

## Request For Quotation

Our Ref No. WHL-8331

No. 6000155760

Dated 12.06.2024

Please return this form duly completed and signed by authorized person in the sealed envelope. The due date for submission of tenders is

Due Date: 25.06.2024

Tel :  
Fax :  
Vendor No. 102518

PLEASE DROP YOUR QUOTATION IN BOX NO. 1

[Signature]  
MANAGER LOCAL PURCHASE

Please quote your lowest prices for the following items. Your offer should remain valid for 45 DAYS. Please drop your quotation in above mentioned Box No. kept at NRL Reception Office. Please quote your GST No. and mention prices are inclusive or exclusive of GST. If not it will be assumed to be inclusive.

Delivery:  Free delivery at our Ware House  
Requirement:  Within 7 days of our Purchase Order

\* Collect Ex-Your Shop/Premises  
\* Immediate

Item	Material	Description	Unit	Quantity	Unit Pr.	Sales Tax	Total Amount Inclusive GST
		<p>OUR RFQ MUST BE MENTIONED ON THE ENVELOPE.</p> <p>10. QUOTATION RECEIVED ON FAX &amp; E-MAIL WILL NOT BE CONSIDERED.</p> <p>11. QUOTATIONS MUST BE SIGNED BY AN AUTHORIZED REPRESENTATIVE AND MUST BE STAMPED WITH COMPANY STAMP.</p> <p>12. THE VEHICLES DELIVERING GOODS SHOULD BE EQUIPED WITH FIRE EXTINGUISHER.</p> <p>13. THE VEHICLES DELIVERING GOODS SHOULD HAVE SPARK ARRESTOR AT THE SILENCER.</p> <p>14. ORDER FOR PARTIAL QUANTITY MAY ALSO BE PLACED BASED ON LOWEST QUOTED RATES OF EACH ITEM BY DIFFERENT SUPPLIER.</p>					

YOUR REF. NO.

DATE:

AUTHORIZED SIGNATURE